

DISTRIBUTED COGNITION: A NEW FOUNDATION FOR HUMAN-COMPUTER INTERACTION RESEARCH

JAMES D. HOLLAN, EDWIN HUTCHINS, AND DAVID KIRSH

DISTRIBUTED COGNITION AND HCI LABORATORY
DEPARTMENT OF COGNITIVE SCIENCE
UNIVERSITY OF CALIFORNIA, SAN DIEGO

WEB: HCI.UCSD.EDU

EMAIL: {HOLLAN, HUTCHINS, KIRSH}@COGSCI.UCSD.EDU

We are quickly passing through the historical moment when people work in front of a single computer, dominated by a small CRT and focused on tasks involving only local information. Networked computers are becoming ubiquitous and are playing increasingly significant roles in our lives and in the basic infrastructures of science, business, and social interaction.

For human-computer interaction to advance in the new millennium we need to better understand the emerging dynamic of interaction in which the focus task is no longer confined to the desktop but reaches into a complex networked world of information and computer-mediated interactions. We think the theory of distributed cognition has a special role to play here, for its focus has always been on whole environments: what we really do in them, how we coordinate our activity in them, and how to understand the interactions between people and the technologies embedded in them.

Distributed cognition provides a radical reorientation of how to think about designing and supporting human-computer interaction. As a theory it is specifically tailored to understanding interactions among people and technology. In this paper we propose distributed cognition as a new foundation for human-computer interaction, sketch an integrated research framework, and use selections from our earlier work to suggest how this framework can provide new opportunities in the design of digital work materials.

1 INTRODUCTION

The field of human-computer interaction must develop richer theoretical underpinnings if it is to meet the challenges of supporting complex tasks, mediating networked interactions, and managing and exploiting the ever increasing availability of digital information. Here we view human-computer interaction from the perspective of distributed cognition [23, 37, 40].

Distributed cognition promises to be a fertile framework for designing and evaluating digital artifacts. It extends conceptions of work materials beyond individual interaction and challenges key implicit presuppositions of current views. It should be stated at the outset that distributed cognition refers to a perspective on all of cognition, rather than a particular kind of cognition. Like any cognitive theory, distributed cognition seeks to understand the organization of cognitive systems. What distinguishes distributed cognition from other approaches is the commitment to two related theoretical principles.

The first of these principles concerns the boundaries of the unit of analysis for cognition. In every area of science, the choices made concerning the boundaries of the unit of analysis have important implications. While boundaries are often a matter of tradition in a field, there are some general rules one can follow. Gregory Bateson [2] says one should bound the unit so that things are not left inexplicable. David Rumelhart [39] recommends putting boundaries where the traffic is low. In distributed cognition, one expects to find a system that can dynamically configure itself to bring sub-systems into coordination to accomplish various functions. A cognitive process is delimited by the functional relationships among the elements that participate in it, rather than by the spatial co-location of the elements.

Sometimes the traditionally assumed boundaries of the individual are exactly right. For other phenomena, however, these boundaries either span too much or too little. Distributed cognition looks for cognitive processes, wherever they may occur on the basis of the functional relationships of elements that participate together in the process. A process is not cognitive simply because it happens in a brain, nor is a process non-cognitive simply because it happens in the interactions among many brains. For example, we have found it productive to consider small socio-technical systems such as the bridge of a ship [23] or an airline cockpit [24, 27, 28] as our unit of analysis.

The second principle concerns the range of mechanisms that may be assumed to participate in cognitive processes. Whereas information-processing psychology looked for cognitive events in the manipulation of symbols inside individual actors, distributed cognition looks for a broader class of cognitive events and does not expect all such events to be encompassed by the skin or skull of an individual. For example, an examination of memory processes in an airline cockpit shows that memory involves a rich interaction between internal processes, the manipulation of objects, and the traffic in representations among the pilots. A complete theory of individual memory by itself is insufficient to understand how this memory system works. Furthermore, the physical environment of thinking provides more than simply additional memory available to the same processes that operate on internal memories. The material world also provides opportunities to reorganize the distributed cognitive system to make use of a different

set of internal and external processes.

When one applies these principles to the observation of human activity “in the wild”, at least three interesting kinds of distribution of cognitive process become apparent:

- Cognitive processes may be distributed across the members of a social group.
- Cognitive processes may involve coordination between internal and external (material or environmental) structure.
- Processes may be distributed through time in such a way that the products of earlier events can transform the nature of later events.

The effects of these distributions of process are extremely important to understanding human cognitive accomplishments and such understandings are central to designing effective computationally-mediated tasks and interactions.

1.1 SOCIALLY DISTRIBUTED COGNITION

For many people, distributed cognition means cognitive processes that are distributed across the members of a social group. We take a broader conception of distributed cognition that includes phenomena that emerge in social interactions as well as interactions between people and structure in their environments.

The distributed cognition perspective highlights three fundamental questions about social interactions : 1) how the cognitive processes we normally associate with an individual mind can be implemented in a group of individuals, 2) how the cognitive properties of groups can differ from the cognitive properties of the people who act in those groups, and 3) how the cognitive properties of individual minds are affected by participation in group activities.

The idea of socially distributed cognition, prefigured by Roberts [38], is finding new popularity. Over the years, a wide range of disciplines in the social sciences have explored these questions. Anthropologists and sociologists studying knowledge and memory, AI researchers building systems to do distributed problem solving, social psychologists studying small group problem solving and jury decision making, organizational scientists studying organizational learning, philosophers of science studying discovery processes, and economists and political scientists exploring the relations of individual and group rationality, all have taken stances that lead them to a consideration of the cognitive properties of societies of individuals. Since the cognitive properties of socially distributed

systems emerge from the patterns of trajectories of information, and since trajectories of information are determined in large part by social organization, social organization can be seen as the cognitive architecture of systems of socially distributed cognition.

Rather than using the language of mind to describe what is happening in a social group, we can use the language of social groups to describe what is happening in a mind. In *Society of Mind* [36], Minsky says, "...each brain contains hundreds of different types of machines, interconnected in specific ways which predestine that brain to become a large, diverse society of partially specialized agencies." What this means, of course, is that the cognition of an individual is distributed cognition too.

1.2 EMBODIED COGNITION

Distributed cognition theory embraces the movement in cognitive science toward a conception of embodied cognition [5, 7, 31, 30, 30, 34, 35, 45, 46, 48]. From this perspective, the organization of mind - both in development and in operation - is an emergent property of interactions among internal and external resources. In this view, the human body and the material world take on central rather than peripheral roles. As Andy Clark says, "To thus take the body and world seriously is to invite an emergentist perspective on many key phenomena - to see adaptive success as inhering as much in the complex interactions among body, world, and brain as in the inner processes bounded by the skin and skull." [7] For the design of work environments, this means that work materials are more than simply stimuli for a disembodied cognitive system. Work materials become elements of the cognitive system itself. This theoretical perspective promises an intellectual basis for a paradigm shift in thinking about information-based work activities; one that takes material and social structures to be elements of cognitive systems and views cognitive activity as a continually renegotiated emergent product of interaction.

1.3 CULTURE AND COGNITION

With the much more intimate relation between mind and environment that is provided by distributed cognition theory comes the possibility of seeing new kinds of relations between culture and cognition. Hutchins treats this at length in his recent book, *Cognition in the Wild* [23]. These new relations appear when we address the functional specifications for human cognition. What is a mind really used for? How are thinking tasks really done in the everyday world?

Permitting the boundary of the unit of analysis to move out beyond the skin situates the individual as an element in a complex cultural environment

[8, 42, 43]. In doing this, we find that cognition is no longer isolated from culture or separate from it. Where cognitive science traditionally views culture as a body of content on which the cognitive processes of individual persons operate, in the distributed cognition perspective, culture, in the form of a history of material artifacts and social practices, shapes the cognitive processes of systems that transcend the boundaries of individual persons [23].

A central idea in distributed cognition is the notion of intelligence as an emergent property of interactions. This idea is reinforced by the connectionist challenge to traditional models of cognitive processing, and we have developed connectionist models of the emergence of structure in the interactions in a community of networks [14]. Connectionism, however, says nothing about the marginalization of the body and world. So to the idea of emergence, we add the idea that persons are embedded in complex environments, that can be seen as active resources for learning, problem solving and reasoning. Culture is a process that accumulates partial solutions to frequently encountered problems. We live with the residue of previous activity and that is both enabling and constraining. The intellectual tools that culture provides enable us to accomplish things that we could not do without them. At the same time though, they may blind us to other ways of thinking and make some things seem impossible. Culture is a process that involves the interactions of mental structure, material structure, and social structure.

Distributed cognition returns culture, context, and history to the picture of cognition. But these things cannot be added on to the existing model of cognitive processes without modifying the old model. That is, the new view of culturally embedded cognition requires that we remake our model of the individual mind.

1.4 ETHNOGRAPHY OF DISTRIBUTED COGNITIVE SYSTEMS

To investigate the questions raised by distributed cognition theory, one needs a new kind of cognitive ethnography. The ethnographic methods associated with cognitive anthropology in the 1960s and 1970s focussed on meaning systems: especially, but not exclusively, the meanings of words [1, 47, 50]. Meanings were sought in the contents of individual minds [22, 33, 49]. The ethnography of distributed cognitive systems retains an interest in individual minds, but adds to that a focus on the material and social means of the construction of action and meaning. It situates meaning in negotiated social practices, and attends to the meanings of silence and the absence of action in context as well as to words and actions [28].

The theoretical emphasis on distributed cognitive processes is reflected in the methodological focus on events. Since the cognitive properties of systems

that are larger than an individual play out in the activity of the people in them, a cognitive ethnography must be an event-centered ethnography. We are interested not only in what people know, but in how they go about using what they know to do what they do. This is a contrast to earlier versions of cognitive ethnography which focussed on the knowledge of individuals and largely ignored action.

Cognitive ethnography is not any single data collection or analysis technique. Rather it brings together many specific techniques, some of which have been developed and refined in other disciplines (e.g., interviewing, surveys, participant observation, video and audio recording). Which specific technique is applied depends on the nature of the setting and the questions being investigated. Because of the prominence of events and activity in the theory, we give special attention to video and audio recording and the analysis of recordings of events [10, 44]. In human-computer interaction settings we expect automated recording of histories of interaction [16] to become an increasingly important source of data.

The theory holds that cognitive activity is constructed from both internal and external resources, and that the meanings of actions are grounded in the context of activity. This means that in order to understand situated human cognition, it is not enough to know how the mind processes information. It is also necessary to know how the information to be processed is arranged in the material and social world. This, in turn, means that there is no substitute for technical expertise in the domain under study. This is why participant observation is such an important component of the cognitive ethnography.

The approach to human-computer interaction we propose here requires researchers to make a real commitment to a domain. If one is to talk to experts in a meaningful way about their interactions with structure in their task environments, one must know what that structure is and how it may be organized. One must also know the processes actors engage in and the resources they use to render their actions and experiences meaningful. This perspective provides new insights for the design of conceptually meaningful tools and work environments. It implies that their design should take into account the ways actors can achieve coordination with the dynamic behavior of active work materials.

As we will discuss later, design of new digital displays and interfaces risks inadvertently destroying many of the most valuable aspects of current ways of doing things because we do not understand how they work. For example, the old view of cognition has led to the development of the airspeed tape in state-of-the-art cockpits. The overt function of the airspeed indicator is to show the pilot the airspeed of the aircraft. But an analysis of how airspeed instruments are actually used shows that the way pilots use airspeed instruments is more complex and more interesting than might have been suspected [24]. The features

that the pilot uses in the round-dial instrument have been inadvertently removed from the airspeed tapes of all of the current state-of-the-art cockpits (Airbus, McDonnell Douglas, Boeing, Fokker). This is not an inevitable consequence of using digital display technology in the cockpit; it is, rather, a consequence of design that is not based on solid cognitive ethnography. The very newest airline cockpit (that in the Boeing 737-700) contains a replication of the old electro-mechanical instrument, now rendered in a digital display. This is probably better than the digital airspeed tapes, but one wonders why the designers could not get the appropriate behavior in the tapes, and why, in order to get the right behavior, they had to resort to a literal copy of the old instrument.

We believe that what was lacking was a method that could identify the critical features of the interactions between pilots and the old instrument and a theoretical language in which these features could be expressed in a sufficiently abstract form that they could be moved to a very different display format. By combining observations of pilots in flight with study of operations manuals, interviews with pilots, and participation in the training programs for two modern airliners, Hutchins was able to establish that pilots use the airspeed indicator dial as a material anchor for a conceptual space of meaningful airspeeds. They only rarely think of the speed as a number. Instead, they use the spatial structure of the display to make perceptual inferences about relations among actual and desired speeds.


While digital display design is an important research topic, and one with which we are concerned, what we are proposing is more fundamental: a research framework that integrates distributed cognition theory with methods for design of digital work materials.

2 AN INTEGRATED FRAMEWORK FOR RESEARCH

We think the field of human-computer interaction needs an integrated research framework and that distributed cognition can provide the theoretical foundation for it. The framework we propose contains the elements shown in Figure 1. This entire integrated program has never before been assembled. Later we will show how our previous work led us to this integrated program and how the integration of these activities can provide new opportunities for the development of cognitive science and for the design of human-computer interaction. First, let us explain the relations among the elements of the integrated program.

Distributed cognition theory guides and motivates the cognitive ethnography by identifying classes of phenomena that merit observation and documentation. The theory holds that people establish and maintain coordination with structure

Figure 1: INTEGRATED RESEARCH ACTIVITY MAP



in their environment in particular ways. Cognitive ethnography contains methods to document and analyze information flow, cognitive properties of systems, social organization, and cultural processes. Distributed cognition theory also informs the design of experimental procedures by highlighting phenomena that are not yet well understood. In design, one confronts the problem of understanding a process situated in novel ways, in a new device behavior, for example. It is critically important that theoretical characterizations be rendered in the right language, because it is theoretical characterizations that free one from the particulars of specific cases. We believe that distributed cognition theory provides useful characterizations of interactions among people and interactions between people and material artifacts that can serve as a new basis for human-computer interaction design.

Cognitive ethnography applied to existing workplaces documents these phenomena and often produces surprises. For example, experts often make opportunistic use of environmental structure to simplify tasks. In the world of aviation and ship navigation, we have documented many examples of uses of structure that were not anticipated by the designers of the tools. A simple example is that pilots routinely display the test pattern on the weather radar as a reminder that a fuel transfer is in progress. Cognitive ethnography seeks to determine what things mean to the participants in an activity and to document the means by which the meanings are created. It is important to keep in mind that an ethnography is not an experiment. While it is important in an experiment to know ahead of time what questions are under investigation, one function of an ethnography is to discover which questions matter in a particular setting. There is no method other than observation that can accomplish this.

In order to make real-world observations, it is necessary to establish rapport

with the members of a community. While the skills required to do this are not normally part of a curriculum in cognitive science, they are as essential as the methods of experimental design for this work. Cognitive ethnography feeds distributed cognition theory by providing the corpus of observed phenomena that the theory must explain. Most cognitive theories seek to explain experimental data. We believe there should be a single theory that covers cognition as it occurs in all settings. An experiment is, after all, just another socially organized context for cognitive performance. This means not only that we look at so-called *real world* settings, but that we look differently at experiments, seeing them as settings in which people make use of a variety of material and social resources in order to produce socially acceptable behavior.

While the study of cognition in the wild can answer many kinds of questions about the nature of human cognition in real workplaces, the richness of real world settings places limits on the power of observational methods. Sometimes the interpretations generated by the cognitive ethnography are underconstrained by the available observations. In these cases, the findings of a cognitive ethnography may suggest experiments that can resolve issues that cannot be resolved by observation alone. In this way, cognitive ethnography guides the design of experiments which contribute to the refinement of the distributed cognition theory. This cycle of activity ties together elements that are not often coordinated with one another. We believe that by successively bringing the constraints of each research component to bear on the others the elements of the research activity system can be incrementally refined.

Experimental results can contribute to design by revealing processes that are more suited to one sort of design than another, or by providing direct data on performance characteristics of design alternatives. Cognitive ethnography contributes methods that allow us to see real world workplaces as rich sources of examples of clever ways of getting things done. It is sometimes advantageous to find new uses for old strategies or to move a technique from one setting to another. However, one can do this only if one has a collection of interesting strategies at hand.

The design process creates new tools for workplaces. The tools and their role in workplaces are then available for study by cognitive ethnography. This loop from observation to theory to design and back to new ethnographic observations is an important cycle of activity in our framework. The design process, by virtue of posing design decisions, may also reveal novel aspects of behavior that should be attended to by cognitive ethnography or experimental studies. This forms yet another cycle of activity that can be used to refine each element in turn as the elements of the cycle interact with one another. The many loops and feedback circuits in the activity map reflect the multiple iterative processes involved in the successive refinement of theory, methods, and products.

Distributed cognition theory thus directs our attention to phenomena that are essential to understanding the fundamental processes upon which interfaces and computer-mediated interactions are based. We see it as crucial to understanding both natural and engineered distributed information systems. Cognitive ethnography gives one a means of documenting these processes in real world distributed systems. Design activities informed by distributed cognition theory will permit new levels of knowledge integration, information flow, and interactivity among people, organizations and communities.

Portions of the integrated approach have appeared in our previous work, but to date the entire activity has not been applied to a single problem domain. In the following sections we summarize our earlier work on a number of projects, and show in each case the overlapping subsets of the elements of the activity that were conducted, and the new opportunities that are presented by assembling the complete integrated research system.

2.1 SHIP NAVIGATION

In the 1980s, Hutchins did an extended cognitive ethnography of navigation aboard US Navy ships [23, 41]. The very notion of distributed cognition, and the need for cognitive ethnography arose from the observation that the outcomes that mattered to the ship were not determined by the cognitive properties of any single navigator, but instead were the product of the interactions of several navigators with each other and with a complex suite of tools. That work developed distributed cognition theory and the methods of cognitive ethnography. It examined the history of navigation practice in two very different cultural traditions to show how a single computational level of description could cover systems that had radically different representational assumptions and implementational means. It examined the details of tool use, showing how the cognitive processes required to manipulate a tool are not the same as the computations performed by manipulating the tool. It documented the social organization of work and showed how learning happened both in individuals and at the organizational level.

The integrated process we are proposing here could take that work much further. The observations of the practices of navigation suggest experiments. For example, when accomplished navigators talk about bearings expressed in numbers of degrees, they often report that in addition to thinking of the three-digit number, they *feel* a bearing as a direction in space relative to the position of their body. A navigator facing northeast may say that a bearing of 135 degrees true feels to be off to his right side. Some observed instances of navigators detecting errors appear to involve this sort of cross-modal representation. Since error detection is a key cognitive property of this system, it would be nice to

know how this actually works. It is not possible to know from observation alone what role such representations might play in the navigation task. An experiment using expert subjects could shed light on this important process.

While Hutchins' work on ship navigation did not include any design activities, it could also be used as a basis for the design of electronic charting tools (an area of considerable interest to the Navy and the Coast Guard). An ethnography of the use of these new tools would be the beginning of the next phase of the cycle of research activity.

2.2 AIRLINE COCKPIT AUTOMATION

In the late 1980s, Hutchins moved his primary field location from the bridges of ships to the cockpits of commercial airliners. Since then he and his students have continued to refine the distributed cognition theory by applying it to cockpit [24, 27, 28] and air traffic control [12]. This work included an extensive cognitive ethnography of airline pilots including observations in the jumpseat of airliners in revenue flight, completion of training programs for state-of-the-art airliners, and work with airline training departments on the design of training programs. Based on a theoretical interpretation of the ethnographic findings, Hutchins designed a graphical interface to the autoflight functions of the Boeing 747-400 [25]. That interface uses direct manipulation technology, originally developed in the STEAMER project [18], which is now nearly 20 years old. We now have the opportunity to apply the very latest technology to the problem of making the behavior of the autoflight system visible to the pilots.

Based on the ethnographic study of the use of both conventional and digital airspeed indicators, we have also designed a new digital airspeed tape. It takes advantage of the power of the computational medium (automatic annotation of target airspeeds, acceleration indications, etc), but also maintains the most useful features of the previous generation of electromechanical devices. Pilots using electromechanical airspeed indicators develop perceptual strategies that rely on the perceptual salience of the spatial location of the airspeed indicator needle in a space of meaningful speeds. Our new instrument not only preserves this property, it makes it perceptually even more salient than was the case in the original. These design alternatives raise a number of important questions that can only be resolved by experimental investigation. For example, the ethnographic analysis indicates that since pilots rarely read the airspeed as a number, it may be possible for them to recover much of the information they need from the older designs without bringing the instrument into foveal vision. In our integrated approach, we are now in a position to complement the ethnographic, theoretic and design activities with experimental investigations of pilot eye movements while using the alternative designs.

2.3 BEYOND DIRECT MANIPULATION

It is possible to create virtual social and material environments that have different properties than real environments. Hollan and Stornetta [19] discuss how an unquestioned presupposition of the efficacy of imitating face-to-face communication restricts current human-computer interaction work on supporting informal communication. By paying close attention to how people actually exploit real environments, and describing those phenomena in appropriate theoretical terms, we can see how to go beyond the simple replication of felicitous features of the real world. An important research issue is how to move beyond current direct manipulation interfaces.

One key focus of research based on distributed cognition is the nature of representations and the ways that people use representations to do work. Traditional information processing psychology focuses on symbols as tokens that refer to something other than themselves, but pays little attention to strategies people may develop to exploit the physical properties of the representing tokens themselves. Our cognitive ethnographies show us that people often shift back and forth between attending to the properties of the representation and the properties of the thing represented, or intentionally blurring the two. These strategies of shifting in and out of the symbolic stance support some very interesting cognitive processing. For example, Hazlehurst [13] studied Swedish fishermen who coordinate their actions with other boats in a pair-trawl by interpreting and talking about what appears on a false-color sonar display. They talk about seeing *flecks* and *sprinkles* and also about seeing *fish*. And they mix the two kinds of talk as in *that fleck is dense enough to set the net upon*.

Hutchins and Palen [28] looked at how a meaningfully constructed space (the flight engineer's panel in a Boeing 727 airliner) and gesture and speech are all woven together in a brief cockpit episode in which the flight engineer explains to the captain and first officer that they have a fuel leak. He interacts with the panel both as if it is the fuel system it depicts, and, at other times, as if it is just a representation of the fuel system (when he flicks a gauge with his finger to get the needle to move, for example). These shifts from attending to the representation to attending to the thing represented, whether in communication or in individual action, provide a range of cognitive outcomes that could not be achieved if representations were always only taken as representations of something else, and not as things in themselves.

Given the primary role of representation in interfaces to computational systems, there are likely to be many opportunities to exploit such shifts. That is, it might be possible to do one kind of cognitive work on the representations as things in themselves and another kind of cognitive work interacting with the representations as stand-ins for the things they represent. In direct manipula-

tion interfaces the objects on-screen are meant to be so closely coupled to the actual computational objects we are dealing with that we are supposed to feel as if we are manipulating the real objects themselves and not just their stand-ins. To achieve this feeling of immediacy [26], it is essential that meaningful interface actions have meaningful counterparts in the system. Thus in dragging an icon of a file from one folder to another we are not to think we are just moving icons, but rather moving the actual folders and all their contents.

There are limits, however, to how well a representation can resemble the thing it represents. For instance, many of the actions we perform on icons have no meaningful correlate when we consider their referent. This is especially true when we consider the way we can change the spatial relations between icons. For example, when we move an image of a hard drive to a more convenient position on the screen where could we be moving the real hard drive to? Distributed cognition theory makes this otherwise isolated observation an instance of an important class of events: those in which people manipulate the properties of a representation to encode information that does not pertain to and is not *about* the thing that the representation represents.

Screen space often has no natural correlate in physical space. Thus when we rearrange the layout of directory windows, it makes no sense to ask whether we have brought those directories closer on the hard drive. The screen as desktop allows us to interpret such actions as analogous to shifting folders about on a flat desk, but folders can be made to pop in and out of existence, or to change in size, which again has no easy counterpart in the real world. The same applies when one changes the way files in a directory are displayed. It is certainly conceivable that alphabetizing, sorting by recency, or sorting by size, are actions that change the order in which files are written on a disk. But it is more plausible to think of these as actions on the labels of files, not as actions on the files themselves.

Because we manipulate icons in *icon space* it is possible to take advantage of the way they are displayed to help us further simplify our activity. We can opportunistically exploit structural possibilities of the interface. Files may be left near the trash can to remind us that we need to delete them. Files that are to be used for a single project can be bunched together, or aliased so that they appear to be in two folders at once.

As users become more familiar with an environment they situate themselves more profoundly. We believe that insights concerning the way agents become closely coupled with their environments have yet to be fully exploited in interface design. As we build richer, more all-encompassing computational environments it becomes more important than ever to understand the ways human agents and their local environments are tightly coupled in the processing loops that result in intelligent action.

Discovering new models of active representations is fundamental to the future of human-computer interaction. Hollan has proposed an informational physics model [20]. Such models specify rules for how information presents and advertises itself and how it reacts to various display conditions, alternative perceptual access routes to users, the presence of other informational entities, and the current circumstance of users' tasks, history of interaction, and relationships with other information producing entities.

The research framework we proposed here and our previous theoretical, ethnographic and design efforts lead one to address questions such as:

- How then can we design representations to facilitate their flexible use?
- How can we make representations more active so that they help users see what is most relevant to deciding what to do next?
- How can we shift the frame of interpretation so as to achieve a better conceptualization of what is going on and what ought to be done?

One way to address each of these questions is to specifically focus on creation of virtual social and material environments that go beyond mere imitation of the felicitous features of the real world to exploit the felicitous features of a computational world.

2.4 HISTORY-ENRICHED DIGITAL OBJECTS

Just as computation can be used to create potentially more flexible and effective active representations, it can also be used to allow the representations to record their history of use and make that history available in ways that inform tasks and facilitate our interactions. We think that automated gathering of activity histories provides rich opportunities for pursuing the event-centered ethnography we are proposing.

In our interaction with objects in the world there are occasions when the history of use is available to us in ways that inform our interactions with them. For example, a well-worn section of a door handle suggests where to grasp it. A new paperback book opens to the place we last stopped reading. The most recently used pieces of paper occupy the tops of piles on our desk. The physics of the world is such that at times the histories of use are perceptually available to us in ways that support the tasks we are doing. While we can mimic these mechanisms in interface objects, of potentially greater value is exploiting computation to develop new history of interaction mechanisms that dynamically change to reflect the requirements of different tasks.

Studies of experts working in complex environments [24] have shown that use-histories are sometimes incorporated in cognitively important processes. The side effects of use often provide resources for the construction of expert performance. Unfortunately, these supports for expert performance are sometimes actively, but mistakenly, designed out of “clean” and “simple” digital work environments. A striking example of this is the cockpit of the Airbus A-320 aircraft as discussed in Gras, et al. [11]. By recognizing the functions of use-histories in simple media, we can exploit the powers of digital media to provide additional support in ways that are simply not possible with static media.

Digital objects can encode information about their history of use. By recording the interaction events associated with use of digital objects (e.g. reports, forms, source code, manual pages, email, spreadsheets) it becomes possible to display graphical abstractions of the accrued histories as parts of the objects themselves. For example, we can depict on source code its copy history so that developers can see that a particular section of code was created based on a copy of other code and thus perhaps be led to correct a bug not only in code being debugged but also in the code from which it was derived.

One of our earlier efforts [17] was to explore the use of attribute-mapped scroll bars as a mechanism to make the history of interaction with documents and source code available. Hollan and his colleagues modified various editors to maintain detailed interaction histories. Among other things, they recorded who edited or read various sections of documents or code as well as the length of time they took. Histories of those interactions were graphically made available in the scroll bar. These graphical depictions identified and highlighted sections that had been edited and who had edited them. Presenting this in the scroll bar made effective use of limited display real estate. To investigate any particular section, users need only click on that section of the scroll bar. Similarly, we and others [9] have explored representing histories of interaction on source code itself.

We have also developed other applications of history-enriched digital objects [16]. For example, one can apply the idea to menus so that the accrued history of menu choices of other users of a system are indicated by making the more commonly used menu items brighter. Or one can present spreadsheets such that the history of changes to items are graphically available. Thus, one can, for example, easily distinguish parts of a budget currently undergoing modification. We have also explored recording the time spent in various editor buffers to allow one to see a history of time spent on tasks associated with those buffers.

Records of the amount of time spent reading wire services, netnews, manual pages, and email messages can be shared to allow people to exploit the history of others’ interactions. One can, for example, be directed to news stories that

significant others have spent considerable time reading or to individuals who have recently viewed a manual page that you are currently accessing. There are, of course, complex privacy issues involved with recording and sharing this kind of data. Such data, in our view, should belong to users and it should be their decision what is recorded and how it might be shared. Encryption should, of course, be used to prevent data from being obtained without the owner's permission.

The rich data resulting from recording histories of interaction and required to support active representations that conform to different use contexts is a crucially important area of research and potential resource upon which to base the design of future digital work environments. The integrated framework we propose here motivates us to augment our current program of research with a firmer theoretical and empirical foundation. It directs us to the importance of ethnographic analysis of current use histories and to cognitive ethnographies of the use of our existing interfaces in order to support the design of digital artifacts that can capture and exploit not only their history of use but also the histories of their creation.

These complex data sources as well as access to vast web-based information stores necessitate more powerful visualization facilities if we are to effectively exploit them in future interfaces. In addition to moving beyond direct manipulation and incorporating history of use, the framework we are advocating points us to the need for representations that map naturally onto differing levels of activity to support multiscale interaction. Pad++ [3, 4], a dynamic multiscale information visualization system, provides one promising approach.

2.5 PAD++: ZOOMABLE MULTISCALE INTERFACES

The observation that we move closer to items we wish to know more about, or that if we cannot get closer, we view them through magnifying optics, is so commonplace that it seems unworthy of mention. Yet, this simple and powerful idea can be exploited in computational media in ways that other media do not allow.

Pad++ [4] is an experimental software system to support exploration of dynamic multiscale interfaces. It is part of a research program to move beyond mimicking the mechanisms of earlier media to more fully exploit computational mechanisms. It provides a general purpose substrate for creating and interacting with structured information based on a zoomable interface. Pad++ workspaces are large in extent and resolution, allowing objects to be placed at any location and at any size. Zooming and panning are supported as the fundamental interaction techniques.

Pad++ provides multiscale interface development facilities. These include portals to support multiple views, lenses to filter and furnish alternative views, search techniques to allow one to find information that matches selected characteristics and easily move to it, history markers and hypertext links to support navigation, layout and animation facilities, and other experimental multiscale interface techniques and tools.

While Pad++ provides a rich substrate for creating multiscale work materials, here we mention only one example. PadPrints [15] is a Pad++ application linked with Netscape that functions as a navigation aid for web-based browsing. As a user follows links in the browser, a multiscale map of the traversals is maintained by PadPrints. The graphical views of pages can be used to select previously visited pages and are ideal candidates for visually representing the history of use information mentioned earlier. As a navigation aid, PadPrints exploits multiscale facilities for both representation and interaction. We have shown it to be more effective than traditional browsers alone [15] in a variety of common information search tasks.

Information-intensive workplaces can be naturally viewed within a multiscale space. Dynamic multiscale spaces are particularly appropriate for hierarchical information because items that are deeper in the hierarchy can be made smaller but because they are still in view they can easily be accessed by zooming. Similarly, the natural hierarchical time structure of many information-based tasks fits well with multiscale representations.

Embedding Pad++ research within the distributed-cognition framework we propose here has important consequences. It helps us realize that some of what is powerful about multiscale representations comes from how individuals and groups adapt. As we discuss below, careful observation demonstrates that we constantly adapt to our environments at different spatio-temporal scales. Individually we adapt through interaction and creating scaffolding; collectively we adapt through culture and intelligent coordination. The very flexible multiscale representations that Pad++ makes possible allow us to explore representations that might better fit these differing spatio-temporal scales.

Distributed cognition encourages us to look at functional organizations that soften traditional boundaries between what is inside and what is outside. Because of the highly interactive nature of Pad++ interfaces there is a rich interplay of cognitive processing, activity structure, and dynamic representational changes. How people manipulate the multiscale space and the multiscale objects within it appears to be a central part of their thinking processes. For example, when using PadPrints in support of web navigation, users sometimes discover that the top level nodes of the navigation map correspond to classes of events in the search activity. Similarly, a characteristic structure accrues to pages that users return to frequently to follow other links. The fact that the

interface creates structure that can be interpreted in this way may suggest new task decompositions to the user or may support new strategies for the allocation of effort in the activity. Distributed cognition provides a new perspective on this tight coupling of interface components and cognition as well as an explanation of why zoomable multiscale interfaces seem so compelling. This may assist in the very challenging task of constructing and exploring new multiscale representations.

The integrated framework also suggests that we augment our current experimental evaluation of Pad++ with ethnographic analyses, not only of usage patterns, but also of the more general navigation activities that people exploit in dealing with emergent structure of dynamic information displays. Just as our current design was driven by an appreciation of the common use of spatial organization to assist information access, we expect future developments to be informed by ethnographic analyses of information navigation in a variety of media and tasks.

2.6 INTELLIGENT USE OF SPACE

In observing people's behavior in Pad++ it is apparent that how they manipulate icons, objects, and emergent structure is not incidental to their cognition; it is part of their thinking process, part of the distributed process of achieving cognitive goals. They leave certain portals open to remind them of potentially useful information or to keep changes nicely visualized, they shift objects in size to emphasize their relative importance, and they move collections of things in and out of their primary workspace when they want to keep certain information around but have other concerns that are more pressing.

Studies of planning and activity have typically focused on the temporal ordering of action, but we think it is important to also explore questions about where agents lay down instruments, ingredients, work-in-progress, and the like. For in having a body, we are spatially located creatures: we must always be facing some direction, have only certain objects in view, be within reach of certain others. Whether we are aware of it or not, we are constantly organizing and reorganizing our workplace to enhance performance. Space is a resource that must be managed, much like time, memory, and energy. Accordingly we predicted that when space is used well it reduces the time and memory demands of our tasks, and increases the reliability of execution and the number of jobs we can handle at once.

In [30] we classified the functions of space into three main categories: spatial arrangements that simplify choice, spatial arrangements that simplify perception, and spatial dynamics that simplify internal computation. The data for

such a classification was drawn from videos of cooking, assembly, and packing, from everyday observations in supermarkets, workshops, and playrooms, and from experimental studies of subjects playing Tetris, the computer game. The studies, therefore, focused on interactive processes in the medium- and short-term: on how agents set up their workplace for particular tasks, and how they continuously manage that workplace.

As with many such studies it is not easy to summarize our findings, though our main conjecture was strongly confirmed. In several environments we found subjects using space to simplify choice by creating arrangements that served as heuristic cues. For instance, we saw them covering things, such as garbage disposal units or hot handles, thereby hiding certain affordances or signaling a warning and so constraining what would be seen as feasible. At other times they would highlight affordances by putting items needing immediate attention near to them, or creating piles that had to be dealt with. We saw them lay down items for assembly in a way that was unambiguously encoding the order in which they were to be put together or handed off. That is, they were using space to encode ordering information and so were offloading memory. These are just a few of the techniques we saw them use to make their decision problems combinatorially less complex.

We also found subjects reorganizing their workspace to facilitate perception: to make it possible to notice properties or categories that were not noticed before, to make it easier to find relevant items, to make it easier for the visual system to track items. One subject explained how his father taught him to place the various pieces of his dismantled bicycle, many of which were small, on a sheet of newspaper. This made the small pieces easier to locate and less likely to be kicked about. In videos of cooking we found chefs distinguishing otherwise identical spoons by placing them beside key ingredients or on the lids of their respective saucepans, thereby using their positions to differentiate or mark them. We found jigsaw puzzlers grouping similar pieces together, thereby exploiting the capacity of the visual system to note finer differences between pieces when surrounded by similar pieces than when surrounded by different pieces.

Finally, we found a host of ways that embodied agents enlist the world to perform computation for them. Familiar examples of such offloading show up in analog computations. When the tallest spaghetti noodle is singled out from its neighbors by striking the bundle on a table, a sort computation is performed by using the material and spatial properties of the world. But more prosaically we have found in laboratory studies of the computer game Tetris that players physically manipulate forms to save themselves computational effort [29, 32]. They modify the environment to cue recall, to speed up identification, and to generate mental images faster than they could if unaided. In short, they

make changes to the world to save themselves costly and potentially error-prone computations.

All the work we have discussed above points to one fact: people form a tightly coupled system with their environments. The environment is one's partner or cognitive ally in the struggle to control activity. Although most of us are unaware of it, we constantly create external scaffolding to simplify our cognitive tasks. Helpful workflow analyses must focus on how, when, and why this external scaffolding is created. We think an integrated research environment such as we propose is absolutely crucial to such analyses and as foundation for creating digital environments which make these cognitive alliances as powerful as possible.

3 CONCLUSIONS AND FUTURE DIRECTIONS

Human-computer interaction as a field grew out of human information processing psychology and still reflects that lineage. The human information processing approach explicitly took an early conception of the digital computer as the primary metaphorical resource for thinking about cognition. Just as it focused on identifying the characteristics of individual cognition, human-computer interaction, until very recently, has focused almost exclusively on single individuals interacting with applications derived from decompositions of work activities into individual tasks. This theoretical approach has dominated human-computer interaction for over twenty years, leading to a computing infrastructure built around the personal computer and based on the desktop interface metaphor.

For human-computer interaction to advance in the new millennium we need to better understand the emerging dynamic of interaction in a world that contains material and social organization. The challenge is increased by the fact that the focus task is no longer confined to the desktop but reaches into a complex networked world of information and computer-mediated interactions. A central image for us is that of future work environments in which people pursue their goals in collaboration with elements of the social and material world. We think that to accomplish this will require a new theoretical basis and an integrated framework for research.

Here we propose distributed cognition as a theoretical foundation for human-computer interaction research. Distributed cognition, developed over the past twelve years, is specifically tailored to understanding interactions among people and technology. The central hypothesis is that the cognitive and computational properties of systems can be accounted for in terms of the organization and propagation of constraints. Such theoretical characterizations attempt to free research from the particulars of specific cases but still capture important

constituents of interactions among people and between people and material artifacts.

Distributed cognition theory radically alters the way we look at human-computer interaction. In the traditional view, something special happens at the boundary of the individual cognitive system. Traditional information processing psychology posits a gulf between inside and outside and then “bridges” this gulf with transduction processes that convert external events into internal symbolic representations. The implication of this for HCI is that the computer and its interface are “outside” of cognition and are only brought inside through symbolic transduction (see, Card, Moran, and Newell [6]).

Distributed cognition does not posit a gulf between “cognitive” processes and an “external” world, so it does not attempt to show how such a gulf could be bridged. Moving the boundary of the unit of cognitive analysis out allows us to see that other things are happening there. Cognitive processes extend across the traditional boundaries as various kinds of coordination are established and maintained between “internal” and “external” resources. Symbolic transduction is only one of myriad forms of coordination that may develop between a user and a feature of a computer system.

We also propose an integrated framework for research that combines ethnographic observation and controlled experimentation as a basis for theoretically informed design of digital work materials and collaborative workplaces. The framework makes a deep commitment to the importance of observation of human activity “in the wild” and analysis of distributions of cognitive processes. In particular it suggests we focus on distributions of cognitive processes across members of social groups, coordination between internal and external structure, and how products of earlier events can transform the nature of later events.

This integrated approach strongly suggests that human-computer interaction research should begin in ethnographic studies of the phenomena of interest and with natural histories of the representations employed by practitioners. This in turn suggests that researchers must have rich understandings of the domains involved in order to, among other things, allow them to act as participant observers as well as to be theoretically and methodologically positioned to see existing functional organizations. An early grounding in cognitive ethnography and integration of ethnographic methods with normal experimental analysis is fundamental to effective iterative evolution of interfaces. In addition, we conjecture that there are important opportunities available for designing and building systems that incorporate facilities to capture and exploit histories of usage. Such histories can not only be the basis for assisting users in new ways but also, with privacy concerns adequately addressed, provide researchers and developers with a crucially important continuing data stream to assist future development.

As we mentioned earlier, the integrated research program described in this paper does not yet exist. We realize that it is quite ambitious in scope and in the skills demanded. The issues to be addressed are complex. Strategic advances will require considerable coordination of research activities on a scale not now associated with the field of human-computer interaction. In addition, graduate training programs will need to be expanded to incorporate training in a wider array of research skills. As a step in that direction, we have recently joined together to form a new research group, Distributed Cognition and HCI Laboratory, and are designing a graduate education and research training program for human computer interaction based on the theory of distributed cognition. As part of that effort we are embarking on a research enterprise [21] coordinated by the integrated framework we have described. We will need to await the results of these ventures to better understand the challenges of putting into practice what we propose. Still, we hope it is clear that without theories that view human-computer interaction within larger socio-technical contexts and without a theoretically-based research framework that integrates ethnographic and experimental approaches, it is unlikely the field of human-computer interaction will do justice to designing the intellectual workplaces of the future and ensuring that they meet human needs.

4 ACKNOWLEDGEMENTS

The development of this paper has benefited from many discussions with members of our research group: Dan Bauer, Aaron Cicourel, Deborah Forster, David Fox, Mike Hayward, Jonathan Helfman, Ron Hightower, Barbara Holder, Sam Horodezky, Terry Jones, Tim Marks, Jonathan Nelson, Thomas Rebotier, Scott Stornetta, and Peg Syverson.

REFERENCES

- [1] AGAR, M. *Speaking of Ethnography*. Sage Publications, Newbury Park, 1986.
- [2] BATESON, G. *Steps to an Ecology of Mind*. Ballantine Books, New York, 1972.
- [3] BEDERSON, B. B., AND HOLLAN, J. D. Pad++: A zooming graphical interface for exploring alternate interface physics. In *Proceedings of the ACM Symposium on User Interface Software and Technology* (1994), pp. 17–26.

- [4] BEDERSON, B. B., HOLLAN, J. D., PERLIN, K., MEYER, J., BACON, D., AND FURNAS, G. Pad++: A zoomable graphical sketchpad for exploring alternate interface physics. *Journal of Visual Languages and Computing* 7 (1996), 3–31.
- [5] BROOKS, R. A. Intelligence without reason. In *Proceedings of the 12th International Joint Conference on Artificial Intelligence* (Sydney, Australia, Aug. 1991), R. Myopoulos, John; Reiter, Ed., Morgan Kaufmann, pp. 569–595.
- [6] CARD, S. K., MORAN, T. P., AND NEWELL, A. *The Psychology of Human-Computer Interaction*. Lawrence Erlbaum, Hillsdale, 1983.
- [7] CLARK, A. *Being There: Putting Brain, Body, and World Together Again*. MIT Press, 1997.
- [8] COLE, M. *Cultural Psychology*. Harvard University Press, 1996.
- [9] EICK, S. G., STEFFEN, J. L., AND SUMNER JR., E. E. Seesoft — A tool for visualizing line oriented software statistics. *IEEE Transactions on Software Engineering* (Nov. 1992), 957–68.
- [10] GOODWIN, C., AND GOODWIN, M. H. Formulating planes: Seeing as situated activity. In *Cognition and Communication at Work* (1995), D. Middleton and Y. Engestro, Eds., Cambridge University Press.
- [11] GRAS, A., MORICOT, C., POIROT-DELPECH, S., AND SCARDIGLI, V. Le pilote, le controleur, et l'automate (reedition du rapport predefinition pirtem - cnrs et du rapport final sert - ministere des transports. ed.). Tech. rep., 1991.
- [12] HALVERSON, C. A. *Inside the cognitive workplace: Air traffic control automation*. PhD thesis, Department of Cognitive Science, University of California, San Diego, 1995.
- [13] HAZLEHURST, B. *Fishing for Cognition*. PhD thesis, Department of Cognitive Science, University of California, San Diego, 1994.
- [14] HAZLEHURST, B., AND HUTCHINS, E. The emergence of propositions from the coordination of talk and action in a shared world. *Language and Cognitive Process (special issue on Connectionist Approaches to Language Development)* (xx).
- [15] HIGHTOWER, R. R., RING, L. T., HELFMAN, J. I., BEDERSON, B. B., AND HOLLAN, J. D. Graphical multiscale web histories: A study of pad-prints. In *Proceedings of the Ninth ACM Conference on Hypertext* (1998), Mapping and Visualizing Navigation, pp. 58–65.

- [16] HILL, W. C., AND HOLLAN, J. D. History-enriched digital objects: Prototypes and policy issues. *The Information Society* 10 (1994), 139–145.
- [17] HILL, W. C., HOLLAN, J. D., WROBLEWSKI, D., AND MCCANDLESS, T. Edit wear and read wear. In *Proceedings of ACM CHI'92 Conference on Human Factors in Computing Systems* (1992), Text and Hypertext, pp. 3–9.
- [18] HOLLAN, J., HUTCHINS, E., AND WEITZMAN, L. STEAMER: An interactive inspectable simulation-based training system. *AI Magazine* 5, 2 (1984), 15–27.
- [19] HOLLAN, J., AND STORNETTA, S. Beyond being there. In *Proceedings of ACM CHI'92 Conference on Human Factors in Computing Systems* (1992), Perspectives on the Design of Collaborative Systems, pp. 119–125.
- [20] HOLLAN, J. D., BEDERSON, B. B., AND HELFMAN, J. Information visualization. In *The Handbook of Human Computer Interaction* (The Netherlands, 1997), M. G. Helenader, T. K. Landauer, and P. Prabhu, Eds., Elsevier Science, pp. 33–48.
- [21] HOLLAN, J. D., HUTCHINS, E. L., AND KIRSH, D. KDI: A distributed cognition approach to designing digital work materials for collaborative workplaces. <http://www.nsf.gov/cgi-bin/showaward?award=9873156>, 1998.
- [22] HUTCHINS, E. *Culture and Inference*. Harvard University Press, 1980.
- [23] HUTCHINS, E. *Cognition in the Wild*. MIT Press, Cambridge, 1995.
- [24] HUTCHINS, E. L. How a cockpit remembers its speed. *Cognitive Science* 19 (1995), 265–288.
- [25] HUTCHINS, E. L. The integrated mode management interface (final report for project ncc 92-578, nasa ames research center). Tech. rep., UCSD, 1996.
- [26] HUTCHINS, E. L., HOLLAN, J. D., AND NORMAN, D. A. Direct manipulation interfaces. *Human-Computer Interaction* 1, 4 (1985), 311–338.
- [27] HUTCHINS, E. L., AND KLAUSEN, T. Distributed cognition in an airline cockpit. In *Cognition and Communication at Work* (New York, 1996), Y. Engeström and D. Middleton, Eds., Cambridge University Press, pp. 15–34.
- [28] HUTCHINS, E. L., AND PALEN, L. Constructing meaning from space, gesture, and speech. In *Tools, and Reasoning: Essays in Situated Cognition* (Germany, 1997), L. B. Resneck, R. Saljo, C. Pontecorvo, and B. Burge, Eds., Springer-Verlag.

- [29] KIRSH, D. Are all actions exploratory or performatory? *Ecological Psychology*.
- [30] KIRSH, D. The intelligent use of space. *Artificial Intelligence(1-2)* 73 (1995), 31–68.
- [31] KIRSH, D. Adapting the environment instead of oneself. *Adaptive Behavior* (1996).
- [32] KIRSH, D., AND MAGLIO, P. On distinguishing epistemic from pragmatic actions. *Cognitive Science* (1995).
- [33] KRONENFELD, D. *Plastic Glasses and Church Fathers*. Oxford University Press, 1996.
- [34] LAKOFF, G. *Women, Fire, and Dangerous Things. What Categories Reveal about the Mind*. University of Chicago Press, Chicago, 1987.
- [35] MATURANA, H., AND VARELLA, F. *The Tree of Knowledge: The Biological Roots of Human Understanding*. New Science Library, 1987.
- [36] MINSKY, M. *The Society of Mind*. Simon and Schuster, New York, 1985.
- [37] NORMAN, D. A. *Things That Make Us Smart: Defending Human Attributes in the Age of the Machine*. Addison-Wesley Perseus, Reading, Massachusetts, 1993.
- [38] ROBERTS, J. The self-management of culture. In *Explorations in Cultural Anthropology: Essays in Honor of George Peter Murdoc* (1964), W. Goode-nough, Ed., McGraw-Hill.
- [39] RUMELHART, D. E. personal communicaiton.
- [40] SALOMAN, G., Ed. *Distributed Cognitions: Psychological and Educational Considerations*. Learning in Doing: Social, Cognitive, and Computational Perspectives. Cambridge University Press, 1993.
- [41] SEIFERT, C. M., AND HUTCHINS, E. L. Error as opportunity: Learning in a cooperative task. *Human Computer Interaction* 7 (1992), 409–435.
- [42] SHORE, B. *Culture in Mind*. Oxford University Press, 1996.
- [43] STRAUSS, C., AND QUINN, N. *A Cognitive Theory of Cultural Meaning*. Cambridge University Press, 1998.
- [44] SUCHMAN, L. *Plans and Situated Actions*. Cambridge University Press, 1985.

- [45] THELEN, E. Timescale dynamics and the development of an embodied cognition. In *Mind as Motion* (1995), R. Port and T. van Gelder, Eds., MIT Press.
- [46] TURVEY, M., SHAW, R., REED, E., AND MACE, W. Ecological laws of perceiving and acting. *Cognition* 9 (1981), 238–304.
- [47] TYLER, S. *Cognitive Anthropology*. Holt, Rinehart and Winston, 1969.
- [48] VARLEA, F., THOMPSON, E., AND ROSCH, E. *The Embodied Mind*. MIT Press, 1991.
- [49] WALLACE, A. *Cultural and Cognition*. Random House, 1970.
- [50] WERNER, O., AND SCHOEPFLE, M. *Systematic Fieldwork*. Sage Publications, 1987.